



**Roche Dermatologics**  
a division of Hoffmann-La Roche Inc.

14

TELECOPIER COVER SHEET

{ Please Complete }

DATE: 4/3/91

TIME: 12:45 pm

THERE ARE 5 PAGES INCLUDING COVER SHEET

TO: Dr. Robert Nelson

LOCATION: FDA

TELEPHONE #: (301) 443-2200 FACSIMILE #: (301) -443-6905

FROM: Jane Anderson

LOCATION: Roche Dermatologics

TELEPHONE #: (201) 812-2048 FACSIMILE #: (201) 812-2098

Table 14 (Modified 3/20/91)

Pregnancy Risk Category, According to Enrollment Time Period  
for Women Age 15-44

	<u>Hysterectomy</u>		<u>Infertility</u>		<u>Not Sexually Active</u>		<u>Sexually Active, Using Birth Control</u>		<u>Sexually Active, Not Using Birth Control</u>		<u>Unknown</u>		<u>Total</u>	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Jan-June 1989	23	1	12	1	511	34	926	63	11	1	2	--	1480	100
July-Dec 1989	79	3	14	--	998	34	1817	62	14	--	2	--	2924	100
Jan-June 1990	46	2	12	1	707	33	1340	63	8	--	2	--	2115	100
July-Dec 1990	78	3	24	1	865	32	1692	63	20	1	2	--	2681	100
Total 1989	97	2	26	1	1509	34	2743	62	25	1	4	--	4404	100
Total 1990	124	3	36	1	1572	33	3032	63	28	1	4	--	4796	100

(S0114)

Table 16 (Modified 3/20/91)

Self Reports of Cysts at Any One Time,  
According to Presence of Scarring\*

## Physician-Generated Enrollments

	Scars		No Scars		Total	
	No.	%	No.	%	No.	%
No cysts	164	29	231	54	395	40
1-2 cysts	127	22	85	20	212	21
3-5 cysts	177	31	70	16	247	25
6+ cysts	106	18	40	9	146	15
<b>TOTAL</b>	<b>574</b>	<b>100</b>	<b>426</b>	<b>100</b>	<b>1000</b>	<b>100</b>

## Medication-Package-Generated Enrollments

	Scars		No Scars		Total	
	No.	%	No.	%	No.	%
No cysts	750	29	1003	56	1753	40
1-2 cysts	552	21	322	18	874	20
3-5 cysts	728	28	277	15	1005	23
6+ cysts	559	22	194	11	753	17
<b>TOTAL</b>	<b>1796</b>	<b>100</b>	<b>2589</b>	<b>100</b>	<b>4385</b>	<b>100</b>

\*Analysis is limited to respondents after December 20, 1989 when these questions were implemented. Twenty-six women with missing data were excluded from the analysis.

(60114)

Table 21 (Modified 3/20/91)

## Past Treatments for Acne, According to Enrollment Method\*

	Physician-Generated (n=1008)		Medication-Package-Generated (n=4404)		Total (n=5412)	
	No.	Yes %	No.	Yes %	No.	Yes %
Oral tetracycline	821	81	3440	78	4261	77
Oral erythromycin	638	63	2421	55	3059	56
Oral Minocin	613	61	2033	46	2646	49
Other oral antibiotics	274	27	1012	23	1286	24
No prior antibiotic treatment**	21	2	234	5	255	5
Oral vitamin A	105	10	489	11	594	11
Retin-A	835	83	3347	76	4128	76
Benzoyl peroxide	708	70	3064	70	3772	70

\*Limited to respondents after December 20, 1989, when these questions were implemented. Categories are not mutually exclusive.

\*\*Excludes women who provided no information or who responded "unknown" to all of the above.

(80114)

Table 33 (Modified 3/20/91)

## Serum vs. Any Pregnancy Test, According to Pregnancy Risk Category

## Physician-Generated\*

	No. in Category	Serum & Yes	Any** & Yes
Infertility	22	64	77
Not sexually active	975	60	74
Sexually active, using birth control	1675	65	84
Sexually active, not using birth control	12	58	67
Unknown	5	20	20

\*31 women who were identified as post-hysterectomy were excluded.  
 \*\*Any includes serum, urine, or unknown type of test.

## Medication-Package-Generated

	No. in Category	Serum & Yes	Any** & Yes
Infertility	41	22	27
Not sexually active	2339	36	48
Sexually active, using birth control	4228	42	55
Sexually active, not using birth control	55	14	33
Unknown	18	17	17

\*247 women who were identified as post-hysterectomy were excluded.  
 \*\*Any includes serum, urine, or unknown type of test.

(50114)